

394

SEQUENCE NO. (MDE USE ONLY)

STATE OF MARYLAND WELL COMPLETION REPORT

THIS REPORT MUST BE SUBMITTED WITHIN 45 DAYS AFTER WELL IS COMPLETED.

COUNTY NUM. 6ER

PERMIT NO. FROM "PERMIT TO DRILL WELL"

DATE RECEIVED

DATE WELL COMPLETED

Depth of Well

DATE RECEIVED MM DD YY

DATE WELL COMPLETED MM DD YY

Depth of Well (TO NEAREST FOOT)

DATE RECEIVED MM DD YY

OWNER

WELL SITE ADDRESS

SECTION

TOWN

LOT

WELL LOG

Not required for driven wells

GROUTING RECORD

WELL HAS BEEN GROUTED (Circle Appropriate Box)

no 44

TYPE OF GROUTING MATERIAL (Circle one)

CEMENT BENTONITE CLAY

NO. OF BAGS NO. OF POUNDS

GALLONS OF WATER

DEPTH OF GROUT SEAL (to nearest foot)

from ft. to ft. (enter 0 from surface)

CASING RECORD

casing types in & insert appropriate code below

CO CONCRETE

OT OTHER

MAIN CASING TYPE

Nominal diameter top (main) casing (nearest inch)

Total depth of main casing (nearest foot)

PL 60 61

h 66

dO 70

OTHER CASING (if used)

diameter depth (feet)

PL 280 440

SCREEN RECORD

screen type or other hole (insert appropriate code below)

rs, rf71 reriff

HO OPEN HOLE

OT OTHER

DEPTH (nearest ft.)

C 2

E 1

A 8 9 11 15 17 21

C 2

H 23 24 26 30 32 36

S 3

R 38 39 41 45 47 51

E 1

N

DIAMETER OF SCREEN

(NEAREST INCH)

from to

GRAVEL PACK IF WELL DRILLED WAS FLOWING WELL INSERT F IN BOX 68

C 3

Roger L. Harrell, MHA Health Officer

PUMPING TEST

HOURS PUMPED (nearest hour)

PUMPING RATE (gal. per min.)

METHOD USED TO MEASURE PUMPING RATE

WATER LEVEL (distance from land surface)

BEFORE PUMPING

WHEN PUMPING

TYPE OF PUMP USED (for test)

centrifugal rotary

jet submersible

PUMP INSTALLED

DRILLER INSTALLED PUMP (CIRCLE) (YES or NO)

IF DRILLER INSTALLS PUMP, THIS SECTION MUST BE COMPLETED FOR ALL WELLS.

TYPE OF PUMP INSTALLED (A,C,J,P,R,S,"F,O")

CAPACITY: GALLONS PER MINUTE (to nearest gallon)

PUMP HORSE POWER

PUMP COLUMN LENGTH (nearest ft.)

CASING HEIGHT (circle appropriate box and enter casing height)

LAND SURFACE (nearest foot)

LATITUDE 38.608527 LONGITUDE 75.970891 (DEFAULT COORD. WGS 81)

Pursuant to §10-624 of the State Govt. Article of the Maryland Code personal info. requested on this form is used in processing this form pursuant to COMAR 26.04.04. Failure to provide the info. may result in this form not being processed. You have the right to inspect, amend, or correct this

STATE THE KIND OF FORMATIONS PENETRATED. THEIR COLOR, DEPTH, THICKNESS AND IF WATER BEARING

DESCRIPTION (Use additional sheets if needed)

FEET FROM TO

if water bearing

7' Salty Teds
Hrt, LHA
rec LRy
FLAY SAND 90 120 X
rr//y CLP y 120 200 Palmer
rsly S-A, V 200 260 X
SH I/
GRAY CLAY 260 400
BROWN SAND 400 460 X

NUMBER OF UNSUCCESSFUL WELLS:

WELL HYDROFRACTURED

yes

no

Y

N

CIRCLE APPROPRIATE LETTER

A WELL WAS ABANDONED AND SEALED WHEN THIS WELL WAS COMPLETED

E ELECTRIC LOG OBTAINED

P TEST WELL CONVERTED TO PRODUCTION WELL

I HEREBY CERTIFY THAT THIS WELL HAS BEEN CONSTRUCTED IN ACCORDANCE WITH COMAR 26.04.04 "WELL CONSTRUCTION" AND IN CONFORMANCE WITH ALL CONDITIONS STATED IN THE ABOVE CAPTIONED PERMIT, AND THAT THE INFORMATION PRESENTED HEREIN IS ACCURATE AND COMPLETE TO THE BEST OF MY KNOWLEDGE.

DRILLERS LIC. NO. 1 M 5 D 129

DRILLERS SIGNATURE

GRAVEL PACK IF WELL DRILLED WAS FLOWING WELL INSERT F IN BOX 68